



**Roman Products, LLC**

824 State Street  
Calumet City, Illinois - 60409

**Customer Service:**

708-891-0770

**[www.romanproducts.com](http://www.romanproducts.com) • 708-891-0770**

# PRIMERS

## PRO-977 Ultra-Prime® Pigmented Wallpaper Primer

PRO-977 is the finest pigmented acrylic wallcovering primer on the market. It is a premium primer formulated to be used on most surfaces. PRO-977 promotes strippability and is particularly excellent for priming bare drywall.

- Tintable with up to 4 ounces of colorant per gallon
- Enhances slip for easier pattern matching
- Superior white hiding power
- VOC (regulatory): 0 g/L as calculated per EPA Method 24



### COVERAGE

Between **400 - 450** sq. ft./gallon



### DRY TIME

**To Touch:** 1 Hour  
**Recoat:** 3 Hours

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 010305 010301



## PRO-935 (R-35)® Adhesion Promoting Primer

PRO-935 (R-35) is the finest adhesion promoting clear acrylic wallcovering primer on the market. Ideal for non-porous surfaces, such as ceramic tile, formica, and glass.

- Dries with residual tack
- Dries clear
- No spatter
- VOC (regulatory): 0 g/L as calculated per EPA Method 24



### COVERAGE

Between **350 - 450** sq. ft./gallon



### DRY TIME

**To Touch:** 1 Hour  
**Recoat:** 3 Hours

**Available Sizes:** 5-Gallon 1-Gallon 1-Quart

**Item Numbers:** 012105 012101 012114



## PRO-999 (Rx-35)® Problem Solving Primer for Porous Surfaces

PRO-999 (Rx-35) is the perfect primer for drywall, skim coats, spackling, popcorn ceilings, contractors flat paint and mud joints. It dries clear, with a slight residual tack, enhancing adhesion of wallpaper.

- Water-based
- Low odor
- No spatter
- Dries clear, with a slight residual tack
- VOC (regulatory): ≤ 25 grams/liter



### COVERAGE

Between **350 - 400** sq. ft./gallon



### DRY TIME

**To Touch:** 1 Hour  
**Recoat:** 3 Hours

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 016905 016901



## PRO-909 Vinyl Prep® Clear Wallpaper Primer

PRO-909 is a cost effective, clear acrylic wallcovering primer for general purpose applications, such as over clean sound paint.

- Eliminates sizing
- Dries clear
- No spatter
- VOC (regulatory): ≤ 50 grams/liter



### COVERAGE

Between **400 - 450** sq. ft./gallon



### DRY TIME

**To Touch:** 1 Hour  
**Recoat:** 3 Hours

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 010205 010201



# CLEAR ADHESIVES

## PRO-880 Ultra® Clear Strippable Wallpaper Adhesive

PRO-880 is the finest-quality, clear wallcovering adhesive on the market. It is excellent for the DIY'er, as well as the most discriminating contractor. Undiluted PRO-880 is formulated to install type II and type III wallcoverings, and may also be diluted for use with lightweight and pre-pasted wallcoverings. It promotes strippability of most fabric-backed wallcoverings over bare drywall.

Not recommended for English pulp papers; GH-34 is recommended.

- Unsurpassed ease of clean-up
- Maximum wet-tack and extended open time
- For all types and weights of wallcoverings
- Spreads and flows easily
- Non-staining
- Recommended for both roller and pasting machine application
- VOC (actual/regulatory): 0% / 0 g/L as calculated per EPA Method 24



**COVERAGE** Approximately **330** sq. ft./gallon

| Available Sizes: | 5-Gallon | 1-Gallon | 1-Quart |
|------------------|----------|----------|---------|
| Item Numbers:    | 012405   | 012401   | 012414  |

## ROMAN 234 Premium Clear Wallpaper Adhesive

ROMAN 234 Premium Clear Wallcovering Adhesive's exclusive formula allows you to create the perfect viscosity for your project. ROMAN 234 thins out when stirred. Mix by hand with a stir stick, a drill mixer, or with a paint shaker to achieve your desired consistency.

- Whip, stir, or shake to desired consistency
- For all types and weights of wallcoverings
- Exceptional adhesion
- Strippable
- Recommended for brush, roller, or pasting machine application
- VOC (regulatory): <5 g/L

**COVERAGE** Approximately **280** sq. ft./gallon

| Available Size: | 5-Gallon | 1-Gallon |
|-----------------|----------|----------|
| Item Number:    | 036905   | 036101   |



## PRO-838 Heavy Duty Clear wallpaper Adhesive

PRO-838 is a commercial-grade, clear wallcovering adhesive formulated for the contractor.

- Contractor strength
- For medium to heavyweight wallcoverings
- Non-staining
- Excellent adhesion
- VOC (actual): < 1%  
VOC (regulatory): < 5 grams/liter

**COVERAGE** Approximately **280** sq. ft./gallon

| Available Size: | 5-Gallon | 2-Gallon | 1-Gallon | 1-Quart |
|-----------------|----------|----------|----------|---------|
| Item Number:    | 011305   | 011302   | 011301   | 011314  |





# CLEAR ADHESIVES

## ROMAN 780 Machinable Wallpaper Adhesive

ROMAN 780 Machinable Clear is ideal for medium weight to heavyweight wallcoverings, including commercial vinyl. It has a flowable, pourable viscosity ideal for pasting machines.

- Dry Strippable
- For use with medium weight to heavyweight wallcoverings including commercial vinyl
- Formulated for pasting machines
- Long open time allowing for easy adjustments
- Provides slip allowing for easy positioning and pattern matching
- VOC (regulatory): <5 g/L



### COVERAGE

Approximately **240**  
sq. ft./gallon

Available Size: 5-Gallon 1-Gallon  
Item Number: 036205 036201



## PRO-870 Clear Strippable Wallpaper Adhesive

PRO-870 is a commercial grade wallcovering adhesive which promotes strippability with fabric-backed vinyl wallcoverings over bare drywall. It flows well through a pasting machine and has excellent wet tack.

- Contractor strength
- For use with commercial weight wallcoverings
- Exceptional wet tack
- Non-staining
- Recommended for both roller and pasting machine application
- VOC (actual/regulatory): 0% / 0 g/L as calculated per EPA Method 24



### COVERAGE

Approximately **280**  
sq. ft./gallon

Available Size: 5-Gallon  
Item Number: 015405




Photo: PRO-880 Ultra Clear Strippable Adhesive

# CLAY ADHESIVES

## PRO-774 CLAY STRIPPABLE Wallpaper Adhesive

PRO-774 is the preferred adhesive for commercial, hospitality, and healthcare wallcovering installations. PRO-774 is a commercial grade adhesive and is strippable with fabric-backed vinyl wallcoverings over bare drywall.

- Recommended for pasting machine use
- For medium to heavyweight wallcoverings
- Smooth consistency
- Maximum wet tack
- VOC (actual): < 1%
- VOC (regulatory): < 5 grams/liter



### COVERAGE

Approximately **200**  
sq. ft./gallon



Available Size: 5-Gallon

Item Number: 010605

## PRO-732 EXTRA-STRENGTH CLAY Wallpaper Adhesive

PRO-732 is a commercial grade clay-based wallcovering adhesive with a thick, rich consistency. It spreads easily with a roller. PRO-732 is formulated for installations requiring low moisture.

- Recommended for roller application
- For medium to heavyweight wallcoverings
- Maximum wet-tack
- Smooth, thick consistency
- High solids/low moisture
- VOC (actual): < 1%
- VOC (regulatory): < 5 grams/liter



### COVERAGE

Approximately **200**  
sq. ft./gallon



Available Size: 5-Gallon 1-Gallon

Item Number: 010005 010001

## ROMAN III CLAY wallpaper Adhesive

ROMAN III Heavy Duty Clay Wallcovering Adhesive has superior wet tack. ROMAN III Clay is ideal for commercial Types II and III vinyl wallcoverings and is recommended for wood veneers and heavier wall materials. ROMAN III provides a strong, permanent bond and cleans up with water while wet.

- For medium to heavyweight wallcoverings, wood veneers and heavier wall materials
- Maximum wet-tack
- Prevents seam spreading and curling
- Recommended for humid environments
- VOC (regulatory): < 10 grams/liter



### COVERAGE

Approximately **280**  
sq. ft./gallon

Available Size: 5-Gallon 1-Gallon

Item Number: 0036005 036001



# SPECIALTY ADHESIVES

## PRO-555 EXTREME TACK Wallpaper Adhesive

PRO-555 Extreme Tack is a high tack, low moisture adhesive for applying new vinyl wallcovering over surfaces where added adhesion is required.\*

- Maximum wet tack
- High solids/low moisture
- Not strippable
- Recommended for application with a roller or brush, do not dilute
- VOC (actual): < 1%
- VOC (regulatory): < 5 grams/liter

**COVERAGE** Approximately **160** sq. ft./gallon

**LEED Compliant**

Available Sizes: 5-Gallon 1-Gallon

Item Numbers: 011905 011901

**\*WARNING:** ROMAN Products, LLC does not endorse the use of any product in an installation that does not meet a Class A fire rating or applicable codes. If a ROMAN product is used to hang a layer of wallcovering over an existing wallcovering, it is unlikely to meet these standards. Testing by a certified laboratory may be necessary.



## PRO-543 UNIVERSAL Wallpaper & Border Adhesive

PRO-543 makes hanging wallcovering easy. When used with non-woven wallcoverings, PRO-543 allows dry strippability in complete sheets, when surface is primed with PRO-977 Ultra Prime.

- For most wallcoverings
- Extended open time to enable easier pattern matching
- For most borders
- VOC (actual): < 2.55%
- VOC (regulatory): < 26 grams/liter

**COVERAGE** Approximately **62.5** sq. ft./quart (100 - 125 lineal feet of 6" border)

Available Size: 1-Gallon 32-Ounce

Item Number: 207811 009914



## PRO-505 TEKNAgrip™ Pre-pasted Wallpaper Activator

PRO-505 makes hanging pre-pasted wallcovering easy by eliminating a water tray mess, increasing slip, and extending open time to allow pattern matching.

- Added adhesion
- Extended open time to enable easier pattern matching
- Minimizes split and open seams
- Recommended for roller or brush application
- VOC (actual): < 1%
- VOC (regulatory): < 5 grams/liter

**COVERAGE** Approximately **360** sq. ft./gallon

Available Size: 1-Gallon

Item Number: 009301



# SPECIALTY ADHESIVES

## PRO-510 Mastic Adhesive

PRO-510 water-based, flexible mastic adhesive is the newest member of the ROMAN all-star adhesive line up. PRO-510 Mastic is formulated for use with a variety of wallcoverings and substrates.

- Flexible, even when fully cured
- High tack
- Strong, permanent bond
- Adheres to drywall, stone, brick, concrete, metals, glass tile, and MDF
- VOC: 38 g/L as calculated per EPA Method 24



### COVERAGE

Varies depending on application method, installation material, and substrate.

Available Sizes: 1-Gallon 3.5 -Gallon

Item Number: 051001 051003



## PEEL & STICK & PRE-PASTED

### E-Z HANG® Peel & Stick Helper + Pre-pasted Activator

E-Z Hang makes hanging peel and stick wallpaper easy. The spray-on formula provides 'slip' to help float wallpaper into position and match patterns. E-Z Hang improves adhesion for a long-lasting install and cleans up easily with water.

- Provides 'slip' allowing wallpaper to be floated into position without the need to peel and re-stick wallpaper.
- Makes pattern matching simple
- Simple spray application
- Provides improved adhesion for long lasting, durable bond
- Excellent for use with pre-pasted wallpapers, eliminating the need for messy water trays.
- Zero VOC (as calculated per EPA Method 24)



### COVERAGE

Approximately 60 sq. ft./bottle

Available Size: 32 oz Spray Bottle

Item Number: 011015



## WHEAT ADHESIVE

### GH-34 Paste for Unpasted Wallpaper

GH-34 is a wheat-based, ready-to-use adhesive formulated for all types of wallcoverings, including commercial weight products. It dries clear and is strippable.

Recommended for English pulp papers.

- Wheat-based clear strippable
- Recommended for roller or brush application
- Non-staining
- VOC (actual): < 1%  
VOC (regulatory): < 5 grams/liter



### COVERAGE

Approximately 180 sq. ft./gallon

Available Size: 5-Gallon 1-Gallon

Item Number: 209814 209820





# DRY ADHESIVES

## TEKNAbond®

TEKNAbond® is a dry multi-purpose wall size/adhesive that is mixed with potable water to use with many types of wallcovering. Ideal for many craft projects.

- Dry mix, just add water

|                  |          |         |
|------------------|----------|---------|
| Available Sizes: | 20 Pound | 8-Ounce |
| Item Numbers:    | 015305   | 015398  |



## UNIVERSAL WHEAT

Universal Wheat is a dry adhesive that contains premium grade wheat. Mixes with potable water to create a smooth, creamy paste. May be used as a wall size and a wallcovering adhesive. It is ideal for craft projects, such as papier-mâché.

- Use as a wall size to prepare surface for wallcovering
- Use to add extra adhesion to pre-pasted wallcovering

|                  |         |         |
|------------------|---------|---------|
| Available Sizes: | 3 Pound | 8-Ounce |
| Item Numbers:    | 209505  | 209701  |



# SEAM REPAIR

## SEAM REPAIR Seam Adhesive

Seam Repair is specially formulated to repair wallcovering tears and loose seams, as well as to bond overlapping edges of wallcoverings.

- Extreme tack
- Dries clear

|                  |                           |                   |                    |
|------------------|---------------------------|-------------------|--------------------|
| Available Sizes: | 3-Ounce (10 Pack)         | 3-Ounce (12 Pack) | 3-Ounce (120 Pack) |
| Item Numbers:    | 207802LW (Display Carton) | 109454 (Bulk)     | 006454 (Bulk)      |





# ECO PRIMER & ADHESIVES



Roman's ECO products are simply the best and most sophisticated on the market. Their base formulations are the most preferred by professional paperhangers. These products may contribute toward LEED credit requirements, and they comply with the NSF/ANSI 342 Sustainability Standard for the wallcovering industry.

## ECO-988 Pigmented Wallpaper Primer

ECO-988 is a premium pigmented acrylic primer. It provides an ideal surface for wallcovering installations.

- Promotes strippability
- Pigmented, tintable with up to 4 ounces of colorant per gallon
- 100% acrylic resin
- Vapor Permeance: > 5 perms per ASTM E96-16 Desiccant Method
- VOC (actual/regulatory): 0% / 0 g/L as calculated per EPA Method 24

|                 |   |                 |   |
|-----------------|---|-----------------|---|
| <b>COVERAGE</b> | Between <b>400 - 450</b> sq. ft./gallon | <b>DRY TIME</b> | <b>To Touch:</b> 1 Hour<br><b>Recoat:</b> 3 Hours |
|-----------------|---|-----------------|---|

**LEED Compliant**

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 011605 011601



## ECO-888 Clear Strippable Wallpaper Adhesive

ECO-888 is a strippable, clear adhesive - ideal for use with commercial wallcoverings. ECO-888 has excellent tack and extended open time.

- Machinable
- Strippable with most fabric-backed vinyl wallcoverings
- Maximum wet tack
- Vapor Permeance: > 10 perms per ASTM E96-16 Desiccant Method
- VOC (actual/regulatory): 0% / 0 g/L as calculated per EPA Method 24

|                 |   |
|-----------------|---|
| <b>COVERAGE</b> | Approximately <b>330</b> sq. ft./gallon |
|-----------------|---|

**LEED Compliant**

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 018805 018801



## ECO-788 clay Strippable Wallpaper Adhesive

ECO-788 is a strippable, clay based adhesive - ideal for use with commercial wallcoverings. ECO-788 is a commercial grade adhesive with maximum tack, formulated for use in pasting machines.

- Machinable
- Strippable with most fabric-backed vinyl wallcoverings
- Maximum wet tack
- Vapor Permeance: > 10 perms per ASTM E96-16 Desiccant Method
- VOC (actual/regulatory): 0% / 0 g/L as calculated per EPA Method 24

|                 |   |
|-----------------|---|
| <b>COVERAGE</b> | Approximately <b>200</b> sq. ft./gallon |
|-----------------|---|

**LEED Compliant**

**Available Sizes:** 5-Gallon 1-Gallon

**Item Numbers:** 018605 018601



# ROMAN WALLPAPER & PASTE REMOVERS

## ROMAN WALLPAPER REMOVAL KIT

The ROMAN Wallpaper Removal Kit is the perfect kit to tackle a wallpaper removal project. The powerful remover solution leaves walls clean and ready for a fresh coat of paint or wallcovering.

- Includes 32-oz wallpaper remover concentrate, wallpaper scoring tool, and wallpaper scraper
- Concentrate makes enough remover to strip 1500 square feet of wallpaper
- VOC (actual): < 1% as applied  
VOC (regulatory): < 5 grams/liter as applied



### COVERAGE

Approximately **300**  
sq. ft./gallon

Item Numbers: 202221



## ROMAN CONCENTRATE Wallpaper & Paste Remover

ROMAN Concentrate is an economical solution for stripping large quantities of wallpaper. The concentrated formula is ideal for contractors and professional paperhangers.

- Professional strength concentrate
- Mix with warm, potable water
- Environmentally safe
- VOC (actual): < 1% as applied  
VOC (regulatory): < 5 grams/liter as applied



### COVERAGE

Approximately **300**  
sq. ft./gallon

Available Sizes: 32-Ounce

Item Numbers: 202241



## ROMAN GEL Wallpaper & Paste Remover

ROMAN Gel is a no-drip formula perfect for tough removal jobs. The clinging gel stays put on walls and remains wet longer than liquid solutions. This makes it highly effective in taking off hard-to-remove wallpaper and paste. ROMAN™ Gel is non-toxic and non-staining.

- Clinging gel eliminates mess
- Extended action formula attacks stubborn paste
- VOC (actual): < 1%  
VOC (regulatory): < 5 grams/liter



### COVERAGE

Approximately **300**  
sq. ft./gallon

Available Sizes: 32-Ounce Spray

Item Numbers: 202243



## ROMAN LIQUID Wallpaper & Paste Remover

ROMAN Liquid is the most effective on the market. This professional strength liquid remover leaves walls clean and ready for a fresh coat of paint or wallcovering.

- Safe & non-staining
- Fast-acting liquid dissolves paste
- Spray on liquid penetrates quickly
- VOC (actual): < 1%  
VOC (regulatory): < 5 grams/liter



### COVERAGE

Approximately **300**  
sq. ft./gallon

Available Sizes: 1-Gallon with Sprayer

1-Gallon

32-Ounce Spray

Item Numbers: 202251

202252

202242



# ROMAN REMOVAL TOOLS

## SCORING TOOL

The scoring tool features an ergonomic oval, no slip, soft grip. The ROMAN™ scoring tool features four hardened steel blades that do not dull and are calibrated to avoid damage to drywall.

Item Number: 202231LW (8 Pack - Display Carton)



## SCRAPER WITH ROLLER

This revolutionary scraper has a perfectly honed blade that is pre-set at the optimum angle. The wide blade eliminates the potential of gouging walls, while the roller reduces resistance. The ergonomic, soft textured handle minimizes fatigue. The ROMAN™ scraper is the best wallpaper scraper on the market.

Item Number: 202233LW (6 Pack - Display Carton)



## REMOVAL SPONGE

This one-of-a-kind sponge is specifically designed for applying wallpaper remover and removing wallpaper paste residue. Use the yellow sponge side to saturate wallpaper and paste with ROMAN™ remover. Use the blue scrubber side to remove tough wallpaper and stubborn paste residue.

Item Number: 202232 (12 Pack - Bulk)



# WALLPAPER INSTALLATION TOOLS

## SEAM ROLLER

- Ideal for smoothing wallpaper seams
- For use on most types of wallpaper
- Lightweight

Item Number: 202314LW (9 Pack - Display Carton)



## SMOOTHER

- Smooth wallpaper and eliminate air bubbles
- Grooves help you maintain grip
- Tapered edge for flexibility
- Angled edges are perfect for corners

Item Number: 202322L (24 Pack - Display Carton)







# PRO-510

## MASTIC ADHESIVE

PRO-510 water-based, flexible mastic adhesive is the newest member of the ROMAN all-star adhesive line up. PRO-510 Mastic is formulated for use with a variety of wallcoverings and substrates.

ROMAN has performed meticulous and extensive installations with PRO-510 Mastic on challenging wallcoverings, including rigid panels, wall protection systems, wall carpet, heavy acoustical materials, sisal and hemp.

### FEATURES & CHARACTERISTICS

- Flexible, even when fully cured
- Strong, permanent bond
- High tack
- Adheres to drywall, stone, brick, concrete, metals, glass, tile, and MDF
- VOC: 38 g/L as calculated per EPA Method 24



#### COVERAGE

Varies depending on application method, installation material, and substrate.

| ROMAN Item # | Description                | UPC             |
|--------------|----------------------------|-----------------|
| 051001       | PRO-510 Mastic: 1-gallon   | 0 17104 51001 4 |
| 051003       | PRO-510 Mastic: 3.5-gallon | 0 17104 51003 8 |



# PRO-515 ULTRA<sup>®</sup>

## ALL-PURPOSE ALL-SURFACE MULTI-USE CONSTRUCTION ADHESIVE



The ultimate solution for all your bonding needs on the job site and the only adhesive a contractor needs in their truck! PRO-515 Ultra is formulated for use with a variety of materials and substrates.

### FEATURES & CHARACTERISTICS

- Bonds rigid panels, steel, wood, glass, and so much more
- Strong, permanent bond
- High tack
- Waterproof, paintable, and UV resistant
- VOC: < 1 g/L



#### COVERAGE

Varies depending on application method, installation material, and substrate.

| ROMAN Item # | Description                  | UPC             |
|--------------|------------------------------|-----------------|
| 051520       | PRO-515 Ultra: 20 oz Sausage | 0 17104 51520 0 |